



## Machine data sheet



### AVR Puma 3 (4x75) (std) (VW)

Sheet no.: 10465  
Serial No.: 1804102434  
Internal No.: OCC-02801  
Operating Hours 2805 h  
Engine power: 470 HP / 346 KW  
Year of construction: 2019  
Location: customer  
0 customer  
  
Salesperson Name: Pierre Lanoux  
Phone No.:  
Mobile Phone No.:  
E-Mail: pierrelanoux@avr.be  
Link to machine: <https://www.avr.be/>



### Configuration

|                        |                                |                  |               |
|------------------------|--------------------------------|------------------|---------------|
| 000 type of harvester  | self propelled harvester -100- | 101 model        | AVR Puma 3    |
| 001. row distance      | 75 cm                          | 104 Digging unit | standard 75cm |
| 100 sub type harvester | 4 row self propelled           |                  |               |

### Comment

Puma 3 (4x75) (std) (VW)  
Green select 2 star machine  
rowdistance 75cm  
hydraulic top link haulm topper  
standard digging unit  
welded share holder  
steel nose rollers in digging web  
excentric vibrator in digging unit  
digging web at choise (40, 43, 50mm)  
1st sieving web at choise (40, 43, 50 mm)  
varioweb module  
pintle belt pitch 50mm U profile  
automatic levelling pintle belt  
rollers on rollertable at choise (75 or 82 mm)  
mudguards on front wheels  
air compressor  
oil lubrication of bunker chain  
no central greasing on machine  
12 camera's on machine  
3 camera displays on machine  
electric rear view mirrors

-----  
Puma3 (4x75) (std) (VW)  
Green select 2 sterren machine



## Machine data sheet

---






rijafstand 75cm  
hydraulische topstang loofklapper  
standaard rooibek  
gelaste schaarhouder  
stalen neusrollen in graafmat  
excentrische trillers in graafmachine  
graafmat naar keuze (40, 43, 50 mm)  
1e zeefband naar keuze (40, 43, 50 mm)  
Varioweb machine  
egelband steek 50mm U-profiel  
automatische helling correctie egelband  
rollen op roltafel naar keuze (75 of 82 mm)  
spatborden op voorwielen  
luchtcompressor  
oliesmering van bunkerketting  
geen centrale smering op machine  
12 camera's op machine  
3 camera displays op machine  
elektrisch verstelbare achteruitkijkspiegels



## Machine data sheet





Additional pictures:





## Machine data sheet





## Machine data sheet





## Machine data sheet





## Machine data sheet

